

# 4" Submersible Series

**DEPENDABLE OPTIONS FOR ALL APPLICATIONS** 





# **Goulds Water Technology**



# **Goulds Water Technology**

### Residential Water Systems





#### PRODUCT LINE OVERVIEW

#### **Performance Ranges**

1 - 120 GPM • ½ to 10 HP

#### **Trusted CentriPro Motor**

2 and 3-wire NEMA Standard all stainless water-filled motor, tested in the toughest conditions


#### **100% Performance Tested**

Trusted performance out of the box

#### **Smart Label**

Pump and Motor part numbers Serial Numbers Assembly Date and Time Performance Test Data





#### **Materials of Construction**

S	е	ri	е	5

	HS	G	GS
Check Valve Type	Composite	External Lead Free Bronze	Stainless
Discharge Head	Composite	Lead Free Sil-Bronze	Stainless
Motor Adapter	Composite	Lead Free Sil-Bronze	Stainless
Diffuser	Lexan	Lexan	Lexan
Bowl	Stainless	Stainless	Stainless
Impeller	Noryl	Noryl	Noryl
Strainer	Composite	Composite	Stainless
Hex Shaft	304SS	304SS	304SS/17-4Ph
Casing	Stainless	Stainless	Stainless
Cable Guard	Composite	Composite	Stainless
Bearing	Engineered Polymer	Engineered Polymer	Engineered Polymer

FEATURES				
I LATORES	HS	G	GS	
GUARDIAN System	N	N	Υ	
QUAD-LOCK Technology	Υ	N	N	
Trimline (Reduced Diameter)	N	Υ	N	
High Capacity Models Available	N	N	Υ	
50 Hz/60 Hz	Υ	N	Υ	
Floating Stack	Υ	Υ	Υ	
Repairable	N	Υ	Υ	
Agency Listings	CSA/CUS	CSA/CUS	CSA/CUS	
NSF61 Certification	Υ	Υ	Υ	
VFD Capatible	Υ	Υ	Υ	
Lead Free	Υ	Υ	Υ	
Built in USA	Υ	Υ	Υ	
Performance Tested	Υ	Υ	Υ	
Smart Label	Υ	Υ	Υ	
Warranty	42/66 months	42/66 months	42/66 months	

#### GWT EXCLUSIVE AND PROVEN FLOATING STACK HYDRAULIC DESIGN

Proven for over 5 decades with the most reliable sand handling and abrasion resistance.

#### Benefits of Floating Stack:

 Rotating components are not in contact therefore parts will not wear resulting in extended life and sustained performance over time.

- Allows sand and abrasives to pass easily
- Can run dry without wear or damage to the pump



#### Noryl Impeller:

Reliable polymer material to overcome abrasion damage

#### **Dual Surface Up Thrust Washer:**

Prevents rubbing of components during up thrust


#### Lexan Diffuser:

High Abrasion resistance for longer life in harsh applications

#### AISI 304SS Stainless Steel Bowl:

Provides maximum corrosion resistance for longevity

## **GS SERIES**



Dual Safety Loops: helps ease the installation of a safety cable without

**Premium Quality Stainless Steel** Internal Check Valve: helps

### -The Guardian® System

Includes an engineered polymer bearing which is resistant to damage from sand, abrasives and over-

Years of field-proven reliabilty and durability in some of the world's toughest submersible pump

# GS HIGH CAPACITY - GS EXTREME SERIES

# BOTH FEATURE THE GUARDIAN® SYSTEM AND PROVEN INTERNAL COMPONENTS OF THE GS SERIES



### **GS High Capacity**

Designed for residential, small municipal water supply as well as light irrigation applications.

#### **Performance Ranges**

- 1-10 HP
- 10-120 GPM
- Head up to 1250 feet
- Field serviceable
- 2" NPT discharge to accomodate higher flows



#### **GS** Xtreme<sup>™</sup>

Designed for extreme sand handling and coal bed methane extraction. This series is the deepest set within the Goulds Water Technology's submersible services.


#### **Performance Ranges**

- ½-10 HP
- 1-100 GPM
- Welded casing joints for Xtreme strength
- Features **upthrust limiter** to prevent damage due to upthrust
- Engineered polymer bearing for strength abrasion heat resistance
- Optional GWT Xtreme Duty motor is rated for continuous duty in 86°F water. Features silicon carbide mechanical seal and diaphragm filter to help prevent sand/debris entry.





**Upthrust Limiter** 





#### ABOUT GOULDS WATER TECHNOLOGY

Goulds Water Technology, a Xylem brand, is one of the world's leading brands in residential and commercial water products. The brand began in 1848 in Seneca Falls, NY, when Seabury S. Gould purchased a pump making business. Today, Xylem's Goulds Water Technology brand is a leader of residential, commercial and agricultural products globally.

For more information on residential water products and applications, visit http://residential.goulds.com/





Xylem Inc. 2881 East Bayard Street Ext., Suite A Seneca Falls, NY 13148 Phone: (866) 325-4210 Fax: (888) 322-5877

www.gouldswatertechnology.com

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license. © 2015 Xylem Inc. BR4INGBB May 2015